

MMPI-2-RF & MMPI-3 PRACTICE CASES

Practice Case: Jayden

Jayden completed the MMPI-2-RF-EX as part of the intake procedures at a university student clinic. He was referred for treatment following a violation of the campus housing alcohol policy involving underage drinking. Both the MMPI-2-RF and the MMPI-3 score reports were derived from this same test administration.

Jayden is a 21-year-old Black man. He graduated from high school and is in his third year at a large university. He lives in an apartment complex owned by the university and is roommates with a friend he has known since high school. He works 20 to 30 hours a week at a big-box retail store. Jayden's grades are somewhat above average, and he is making timely progress toward an undergraduate degree in Business Administration. Jayden has a small group of friends outside of his roommate. He has not been in a romantic relationship since high school.

Jayden is the youngest of three children. His older sisters are both teachers and are married. Jayden's parents have been married for 30 years. His father was permanently disabled following an industrial accident eight years ago. His mother works as a school bus driver. Jayden reports feeling supported by his family and has infrequent but meaningful contact with them.

Jayden began drinking in high school at parties. He explained this behavior increased in college in large part because he has trouble feeling comfortable meeting new people. Jayden and his roommate were hosting a party with the hopes of meeting some potential romantic partners when the party was broken up by campus security following repeated noise complaints. Because many of the people present at the party were underage, Jayden and his roommate were found in violation of campus policy and required to undergo alcohol counseling. Jayden reports some

symptoms of anxiety, especially social anxiety. He otherwise denies any experience of or prior history of treatment for mental health concerns.

Jayden appeared motivated to complete the testing and did so in a single session without breaks, questions, or any other behaviors of note.

Jayden's MMPI-3 Profile



Minnesota Multiphasic Personality Inventory®-3

Score Report

MMPI®-3

Minnesota Multiphasic Personality Inventory®-3

Yossef S. Ben-Porath, PhD, & Auke Tellegen, PhD

ID Number:	Jayden
Age:	21
Gender:	Male
Marital Status:	Never Married
Years of Education:	Not reported
Date Assessed:	09/27/2018

Reproduced by permission of the University of Minnesota Press. All rights reserved. "MMPI" and "Minnesota Multiphasic Personality Inventory" are registered trademarks of the Regents of the University of Minnesota.


Copyright © 2020 by the Regents of the University of Minnesota. All rights reserved. Distributed exclusively under license from the University of Minnesota by NCS Pearson, Inc. Portions reproduced from the *MMPI-3 English Test Booklet*. Copyright © 2020 by the Regents of the University of Minnesota. All rights reserved. Portions excerpted from the *MMPI-3 Manual for Administration, Scoring, and Interpretation*. Copyright © 2020 by the Regents of the University of Minnesota. All rights reserved. Portions excerpted from the *MMPI-3 Technical Manual*. Copyright © 2020 by the Regents of the University of Minnesota. All rights reserved. Used by permission of the University of Minnesota Press.

Minnesota Multiphasic Personality Inventory and **MMPI** are registered trademarks of the Regents of the University of Minnesota. **Pearson** is a trademark, in the US and/or other countries, of Pearson Education, Inc., or its affiliates.

This report contains copyrighted material and trade secrets. Qualified licensees may excerpt portions of this output report, limited to the minimum text necessary to accurately describe their significant core conclusions, for incorporation into a written evaluation of the examinee, in accordance with their profession's citation standards, if any. No adaptations, translations, modifications, or special versions may be made of this report without prior written permission from the University of Minnesota Press.

[1.3 / 19 / QG]

MMPI-3 Validity Scales



Raw Score:	3	2	14	0	2	1	11	7	2	1
T Score:	42	43	54	41	58	47	56	54	44	35
Response %:	100	100	100	100	100	100	100	100	100	100
Cannot Say (Raw):	0									

The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-3 T scores are non-gendered.

CRIN	Combined Response Inconsistency	F	Infrequent Responses	L	Uncommon Virtues
VRIN	Variable Response Inconsistency	Fp	Infrequent Psychopathology Responses	K	Adjustment Validity
TRIN	True Response Inconsistency	Fs	Infrequent Somatic Responses		
		FBS	Symptom Validity Scale		
		RBS	Response Bias Scale		

MMPI-3 Higher-Order (H-O) and Restructured Clinical (RC) Scales




Raw Score:	17	2	11	7	9	2	10	2	12	4	4
T Score:	55	49	58	53	65	47	70	55	61	55	44
Response %:	100	100	100	100	100	100	100	100	100	100	100

The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-3 T scores are non-gendered.

EID	Emotional/Internalizing Dysfunction	RCd	Demoralization	RC6	Ideas of Persecution
THD	Thought Dysfunction	RC1	Somatic Complaints	RC7	Dysfunctional Negative Emotions
BXD	Behavioral/Externalizing Dysfunction	RC2	Low Positive Emotions	RC8	Aberrant Experiences
		RC4	Antisocial Behavior	RC9	Hypomanic Activation

MMPI-3 Somatic/Cognitive Dysfunction and Internalizing Scales




Raw Score:	4	3	0	3	1	1	3	5	5	6	8	6	2	2
T Score:	52	56	44	53	58	51	55	55	68	65	76	56	49	63
Response %:	100	100	100	100	100	100	100	100	100	100	100	100	100	100

The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-3 T scores are non-gendered.

MLS	Malaise	SUI	Suicidal/Death Ideation	WRY	Worry
NUC	Neurological Complaints	HLP	Helplessness/Hopelessness	CMP	Compulsivity
EAT	Eating Concerns	SFD	Self-Doubt	ARX	Anxiety-Related Experiences
COG	Cognitive Complaints	NFC	Inefficacy	ANP	Anger Proneness
		STR	Stress	BRF	Behavior-Restricting Fears

MMPI-3 Externalizing and Interpersonal Scales




Raw Score:	3	4	7	0	3	0	8	9	7	1	3	6
T Score:	51	61	74	37	49	39	51	63	49	48	50	69
Response %:	100	100	100	100	100	100	100	100	100	100	100	100

The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-3 T scores are non-gendered.

FML	Family Problems	ACT	Activation	SFI	Self-Importance
JCP	Juvenile Conduct Problems	AGG	Aggression	DOM	Dominance
SUB	Substance Abuse	CYN	Cynicism	DSF	Disaffiliativeness
IMP	Impulsivity			SAV	Social Avoidance
				SHY	Shyness

MMPI-3 PSY-5 Scales



Raw Score:	8	2	12	11	5
T Score:	49	52	66	64	52
Response %:	100	100	100	100	100

The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-3 T scores are non-gendered.

- AGGR Aggressiveness
- PSYC Psychoticism
- DISC Disconstraint
- NEGE Negative Emotionality/Neuroticism
- INTR Introversion/Low Positive Emotionality

MMPI-3 T SCORES (BY DOMAIN)

PROTOCOL VALIDITY

Content Non-Responsiveness	0	42	43	54 T		
	CNS	CRIN	VRIN	TRIN		
Over-Reporting	41	58		47	56	54
	F	Fp		Fs	FBS	RBS
Under-Reporting	44	35				
	L	K				

SUBSTANTIVE SCALES

Somatic/Cognitive Dysfunction	65	52	56	44	53			
	RC1	MLS	NUC	EAT	COG			
Emotional Dysfunction	55	53	58	51	55	55		
	EID	RCd	SUI	HLP	SFD	NFC		
		47	52					
		RC2	INTR					
		61	68	65	76	56	49	63
		RC7	STR	WRY	CMP	ARX	ANP	BRF
								64
								NEGE
Thought Dysfunction	49	55						
	THD	RC6						
		55						
		RC8						
		52						
		PSYC						
Behavioral Dysfunction	58	70	51	61	74			
	BXD	RC4	FML	JCP	SUB			
		44	37	49	39	51		
		RC9	IMP	ACT	AGG	CYN		
		66						
		DISC						
Interpersonal Functioning	63	49	49	48	50	69		
		SFI	DOM	AGGR	DSF	SAV	SHY	

Note. This information is provided to facilitate interpretation following the recommended structure for MMPI-3 interpretation in Chapter 5 of the *MMPI-3 Manual for Administration, Scoring, and Interpretation*, which provides details in the text and an outline in Table 5-1.

*****NOTE:** The final pages of this report display any items that were skipped or unscorable as well as any endorsed items that are part of a critical responses or critical items list. These sections include both the item number and content. The final page of the report includes the test taker's item level responses to every test item. These pages are not displayed in this book in order to maintain test security; however, redacted sample reports are available on the Pearson Assessments' website.***

SAMPLE